

## DATA SET DESCRIPTION

### Daily grids of frost depth of uncovered soil at midday

#### Version 0.x

**Cite data set as:** DWD Climate Data Center (CDC): Daily grids of frost depth of uncovered soil at midday, version 0.x, current date.

#### INTENT OF THE DATASET

The grid is interpolated from the frost depth which was derived at a fixed selection of stations. Only locations with complete data sets from 1.1.1991 till now have been used. The frost depth is calculated by the model AMBET1, which was developed at the agrometeorological research centre in Braunschweig. The interpolation method is a regional multiple linear regression with geographical longitude, latitude and height of location as input variables and a subsequent triangulation, covering Germany with a resolution of 1x1 km.

#### POINT OF CONTACT

Deutscher Wetterdienst  
CDC - Vertrieb Klima und Umwelt  
Frankfurter Straße 135  
63067 Offenbach  
Tel.: + 49 (0) 69 8062-4400  
Fax.: + 49 (0) 69 8062-3987  
Mail: [klima.vertrieb@dwd.de](mailto:klima.vertrieb@dwd.de)

#### DATA DESCRIPTION

<b>Spatial coverage</b>	grids over Germany
<b>Temporal coverage</b>	01.01.2010 - end of penultimate month
<b>Spatial resolution</b>	1 x 1 km
<b>Temporal resolution</b>	daily
<b>Projection</b>	Gauss Krüger 3. meridian strip. The PRJ-file can be downloaded here: <a href="ftp://ftp-cdc.dwd.de/pub/CDC/help/gk3.prj">ftp://ftp-cdc.dwd.de/pub/CDC/help/gk3.prj</a> .
<b>Format(s)</b>	The grids are in ascii format. The first six rows describe the grid definition, including the upper left corner, spatial resolution und amount of rows and columns. Grid points outside Germany are marked as missing numbers. The grid can be read with ArcGis.
<b>Parameters</b>	Values are in cm
<b>Uncertainties</b>	The grid's uncertainties come from the parameter calculation and also from interpolation. From nearly 280 locations 360000 grid points were interpolated. The frost depth varies strongly with snow depth, thus the grids cannot be expected to be exact.
<b>Quality information</b>	without quality flags

#### DATA ORIGIN

The calculations at the locations were made by the agrometeorological model AMBETI. The interpolation was made in two steps. Dividing Germany in 20 different regions by overlapping circles and making a multiple linear regression with all locations in each circle. Regression coefficients are the height, the longitude and latitude of the location. The calculated regression coefficients of the four surrounding circles for a given location were weighted in dependence from the distance to circle centres. In a last step the differences between calculated values and the interpolated values at the calculation locations are distributed by a triangulation into the grid.

## **VALIDATION AND UNCERTAINTY ESTIMATE**

The resulting grids depend strongly on the used interpolation. Plausibility tests showed very good performance.

## **REFERENCES**

Braden, H., 1995: The model AMBETI. - A detailed description of a soil-plant-atmosphere model, Berichte des Deutschen Wetterdienstes, Nr. 195.

## **COPYRIGHT**

The instructions in [ftp://ftp-cdc.dwd.de/pub/CDC/Terms\\_of\\_use.pdf](ftp://ftp-cdc.dwd.de/pub/CDC/Terms_of_use.pdf) should be followed. The DWD website provides comprehensive copyright information.

## **REVISION HISTORY**

This document is maintained by DWD unit KU31, last edited on 19.12.2018.