

## DATA SET DESCRIPTION

### *Historical hourly RADOLAN grids of precipitation depth (binary)*

#### Version 2.5

**Cite data set as:** DWD Climate Data Center (CDC): Historical hourly RADOLAN grids of precipitation depth (binary), version

**Dataset-ID:** urn:x-wmo:md:de.dwd.cdc::gridsgermany-daily-radolan-recent-bin

#### INTENT OF THE DATASET

The routine procedure RADOLAN (Radar-Online-Aneichung) provides area-wide, spatially and temporally highly resolved quantitative precipitation data in real-time operation for Germany from the combination of the hourly values measured at the precipitation stations with the precipitation recording of the 17 weather radars.

#### POINT OF CONTACT

Deutscher Wetterdienst  
CDC - Vertrieb Klima und Umwelt  
Frankfurter Straße 135  
63067 Offenbach  
Tel.: + 49 (0) 69 8062-4400  
Fax.: + 49 (0) 69 8062-4499  
Mail: [klima.vertrieb@dwd.de](mailto:klima.vertrieb@dwd.de)

#### DATA DESCRIPTION

<b>Spatial coverage</b>	Germany
<b>Temporal coverage</b>	2005-06-01 until - today
<b>Spatial resolution</b>	1km x 1km
<b>Temporal resolution</b>	24 hours (sliding)
<b>Projection</b>	Polar Stereographic, Central Meridian 10.0° E , Standard Parallel 60.0° N
<b>Format(s)</b>	The data are available as compressed files in the origin binary format, details at <a href="#">RADOLAN/RADVOR-Kompositformatbeschreibung</a> (only in German).
<b>Units</b>	precipitation height in 1/10 mm

#### DATA ORIGIN

Weather Radars can only measure the reflected signals from the hydrometeors in the atmosphere and not the precipitation directly. For the radarbased quantitative precipitation estimation the radar data are adjusted with the measurements of the conventional precipitation stations. The adjusted radar data is a combination of the two sources of radar and surface stations and therefore these data are using the advantages of both data sets.

## VALIDATION AND UNCERTAINTY ESTIMATE

Verification of the data from 2013 till 2016 against the daily measurements of the precipitation stations shows a mean median of the absolute daily deviations of 0.761 mm/day. This is quite better than the corresponding value of 2.390 mm/day for the non adjusted radar data.

## ADDITIONAL INFORMATION

The data are not measured values, but represent a best estimate of precipitation due to the indirect method of radar measurement, which is calibrated (quantified) on the measured values of conventional stations (average station distance: approx. 20 km).

## REFERENCES

Bartels, H. et al., 2004: Zusammenfassender Abschlussbericht zum Projekt [RADOLAN](#)

Winterrath T. et al., 2012: On the DWD quantitative precipitation analysis and nowcasting system for real-time application in German flood risk management. Weather Radar and Hydrology, IAHS Publ. 351

## COPYRIGHT

The instructions in [https://opendata.dwd.de/climate\\_environment/CDC/Terms\\_of\\_use.pdf](https://opendata.dwd.de/climate_environment/CDC/Terms_of_use.pdf) should be followed. The DWD website provides comprehensive copyright information.

## REVISION HISTORY

This document is maintained by the Regional Precipitation Monitoring of the DWD, last edited at 2021-07-09.