



DATASET DESCRIPTION

Historical monthly station observations (temperature, precipitation, sunshine duration, wind and cloud cover) for Germany

Version v22.3

Cite data set as: Historical monthly station observations (temperature, precipitation, sunshine duration, wind and cloud cover) for Germany, Version v22.3

Dataset-ID: urn:x-wmo:md:de.dwd.cdc::obsgermany-climate-monthly-kl-historical

ABSTRACT

These historical data are quality controlled measurements and observations derived from DWD stations and legally and qualitatively equivalent partner stations operated for climatological and climate related applications. Comprehensive station metadata (station relocation, instrument change, time zones, change of algorithms) are included.

POINT OF CONTACT

Deutscher Wetterdienst
CDC - Vertrieb Klima und Umwelt
Frankfurter Straße 135
63067 Offenbach
Tel: +49 (0) 69 8062-4400
Fax: +49 (0) 69 8062-4499
E-Mail: klima.vertrieb@dwd.de

DATASET DESCRIPTION

Parameter	wind force, sunshine duration, cloud coverage, wind gust, air temperature at 2 m, precipitation height
Temporal coverage	1719-01-01 - 2021-12-31
Temporal resolution	1 month
Spatial coverage	stations in Germany
Projection	WGS 84 (EPSG:4326)
Format description	The station observations (produkt_*.txt) are provided together with the station metadata per station as a zip file *_[station_id]_akt.zip.

Within the zip file, the station metadata information is provided as both *.txt and *.html.

The Metadata_Parameter* file contains a list of parameters measured at this station (the parameter portfolio), with start, end, associated units, measurement rules, formulas, dates, and time units associated with the station_id and current station name.

The device history is sorted according to the meteorological parameters (see file Metadaten_Geraete*). There, the history of sensor height, type of instrument and measurement procedure is given, together with the historical station names. The station ID is unique and does not change over time.

For a convenient documentation of station name change, see Metadaten_Stationsname*. The geographical metadata of the station (longitude, latitude, height) is listed in Metadaten_Geographie*.txt together with the Stations_id and the current station name.

The parameter portfolios of the individual stations vary in size.

application schema

csv dialect description

delimiter line terminator header quote char

; \\r\\n true \"

csv content description

column name	description	uom	type	format
STATIONS_ID	DWD station identification number		VARCHAR2	
MESS_DATUM_BEGINN	begin of interval		NUMBER	YYYYMMDD
MESS_DATUM_ENDE	end of interval		NUMBER	YYYYMMDD
QN_4	quality level of the data in the following columns		NUMBER	numerical code
MO_N	monthly mean of cloud cover	1/8	NUMBER	
MO_TT	monthly mean temperature 2 m above ground	°C	NUMBER	
MO_TX	monthly mean of daily temperature maxima at 2 m above ground	°C	NUMBER	
MO_TN	monthly mean of daily temperature minima in 2 m above ground	°C	NUMBER	
MO_FK	monthly mean of daily wind speed	Bft	NUMBER	
MX_TX	monthly maximum of daily temperature maxima in 2 m above ground	°C	NUMBER	
MX_FX	monthly maximum of daily wind speed	m/s	NUMBER	
MX_TN	monthly minimum of daily temperature minima in 2 m above ground	°C	NUMBER	
MO_SD_S	monthly sum of sunshine duration	h	NUMBER	
QN_6	quality level of the data in the following columns		NUMBER	numerical code
MO_RR	monthly sum of precipitation height	mm	NUMBER	
MX_RS	monthly maximum of daily precipitation height	mm	NUMBER	

Quality Information

The QUALITAETS_NIVEAU (QN) shows the quality control procedure applied for a data report (of several parameters) for a certain reporting time.

Data before and including 1980 can reach as best quality check level QN=5. Data after 1980 can reach QN=10 as best quality check level.

QN = 1 : only formal control;
 QN = 2 : controlled with individually defined criteria;
 QN = 3 : automatic control and correction;
 QN = 5 : historic, subjective procedures;
 QN = 7 : second control done, before correction;
 QN = 8 : quality control outside ROUTINE;
 QN = 9 : not all parameters corrected;
 QN = 10 : quality control finished, all corrections finished.

The QUALITAETS_BYTE (QB) denotes whether the value was objected to and/or corrected.

QB = 0 : denotes not flagged,
 QB = 1 : had no objections (either checked and not objected, or not checked and not objected, this can be interpreted only when considering QN);
 QB = 2 : corrected;
 QB = 3 : confirmed with objection rejected;
 QB = 4 : added or calculated;
 QB = 5 : objected;
 QB = 6 : only formally checked;
 QB = 7 : formal objection;
 QB = -999 : quality flag does not exist.

DATA ORIGIN

The monthly means are calculated for each month from the respective daily values (of the same version), and only in the case the daily values are complete. If some daily values are missing, no monthly mean is given. For some stations monthly values exist and no daily values are available (e.g., burned in the wars, or not yet digitized). For these cases, the monthly values are included here.

RESOURCE MAINTENANCE

The dataset is replaced annually by a new version in order to include newly digitised historical data as well as corrections and improvements. The data of a new version is always extended in time by the previous completed year.

VALIDATION AND UNCERTAINTY ESTIMATE

The quality of the monthly values depends on the quality of daily values, the quality level (Qualitätsniveau) is deduced accordingly. The quality of monthly means which were not calculated from daily means is not evaluated.

UNCERTAINTIES

The stations are nowadays selected and operated according to WMO guidelines. Though these guidelines aim at minimizing possible local effects, still some applications of certain parameters may require the consideration of local and regional effects. Note that when going back to historical times, such guidelines might not have been in place. In special circumstances, local or regional influences on the meteorological parameters have to be considered, possibly also with a time dependency. Sources of long-term uncertainty are (1) changes in station height when station was re-located (especially for wind and temperature), information on this is within the station's zip-files in Metadaten_Geographie* ; (2) changes in the observation times and (3) changes in the averaging interval. Details on (2) and (3) can be found in the stationwise zipped Metadaten_Parameter*. Uncertainties are also expected from (4) changes in instrumentation, see Metadaten_Geraete* and possibly also from (5) varying quality control procedures (Behrendt et al., 2011). Further, uncertainties are known to come from (6) errors during data transfer or errors in the software, (7) change of observing personnel, and (8) others, see Freydkank, 2014.

CONSIDERATIONS FOR APPLICATIONS

For studies of long-term change, the metadata in Metadaten_Parameter*, Metadaten_Geraete* and Metadaten_Geographie* have to be considered. With the change to SYNOP at the end of the nineties, the metadata were collected electronically. These metadata are provided for each station within the *.zip. For the time span before, relevant station metadata are extracted from the paper records and digitized by DWD. These metadata are also included. Note the rescuing of metadata is work in progress.

For detailed studies, you can apply for access to the paper archive. For statistical analysis, consider the formula (which may be changing over time, and for each station individually) used to calculate the daily means (see Metadaten_Parameter*). Only from 1936 onwards standardized formulas were applied. From 1900-1935 the regulations of the respective small German states were applied, and before 1900 such regulations were station specific (and not all regulations are electronically recorded yet).

For temperature trends, note especially the changes in station height and the changes in the "Klimatermine", i.e., changes in the definition of fixed times were measurements had been performed, the latter effect was shown to be marginal when changing to automatization (Kaspar et al., 2016). For long-term effects in precipitation note that the height of the instrument changed systematically over time: in earlier years, and at mountain stations, was the precipitation measurement 1.5 m above ground, afterwards at lower heights at a increasing number of stations (details are not included in the metadata yet). Missing precipitation observation during 1940-1950 were derived from neighbouring stations. Before 1969, in East Germany, and before 1971 in West Germany, the integrated precipitation recordings were stored for the day on which the morning reading was performed. Here, all values are converted and related to the day contributing the largest part of the measurement interval.

Generally, all data given are converted to the same units. The recording units differ, though. For instance, temperature before 1880 was recorded in different units, and converted to degree Celsius many decades later. Cloud cover was observed in 1/10 before the seventies, but had been converted to the common 1/8 here.

The wind data in this data set are meant to be used as auxiliary data for the interpretation of the other parameters, as wind velocity was partly estimated with the Beaufort scale in the years before the automatization. Such observations were used for the time periods where in Metadaten_Geraete* no instrument is given. However, in early years also measured wind velocities were converted to Bft. Only with the automated transfer of wind values at the beginning of this millennium the change to m/sec occurred, see Metadaten_Parameter* for details. For wind velocities which were exclusively measured (i.e., not observed with Bft scale) use https://opendata.dwd.de/climate_environment/CDC/observations_germany/climate/hourly/wind/.

ADDITIONAL INFORMATION

For extending the time series with recent data (where quality control is not completed yet), see subdirectories ../recent/. When data from both directories "historical" and "recent" are used together, the difference in the quality control procedure should be considered. There are still issues to be discovered in the historical data. We welcome any hints to improve the data basis (see contact).

LITERATURE

Behrendt, J., et al.: Beschreibung der Datenbasis des NKDZ. Version 3.5, Offenbach, 15.02.2011.

Kaspar, F., et al.: Climate reference stations in Germany: Status, parallel measurements and homogeneity of temperature time series. Adv. Sci. Res., 13, doi:10.5194/asr-13-163-2016, 163-171, 2016.

DWD Vorschriften und Betriebsunterlagen Nr. 2 (VuB 2), Wetterschlüsselhandbuch Band D, Nov 2013.

Kaspar, F., et al.: Monitoring of climate change in Germany – data, products and services of Germany's National Climate Data Centre. Adv. Sci. Res., 10, doi:10.5194/asr-10-99-2013, 99–106, 2013.

Spengler, R.: The new Quality Control- and Monitoring System of the Deutscher Wetterdienst. Proceedings of the WMO Technical Conference on Meteorological and Environmental Instruments and Methods of Observation, Bratislava, 2002.

Freydkank, E.: 150 Jahre staatliche Wetter- und Klimabeobachtungen in Sachsen. Tharandter Klimaprotokolle Band 21, 2014.

DWD Vorschriften und Betriebsunterlagen Nr. 3 (VuB 3), Technikerhandbuch (THB) für Wettermeldestellen des synoptisch-klimatologischen Mess- und Beobachtungsnetzes, März 2014b.

DWD Vorschriften und Betriebsunterlagen Nr. 3 (VuB 3), Beobachterhandbuch (BHB) für Wettermeldestellen des synoptisch-klimatologischen Mess- und Beobachtungsnetzes, März 2014a.

COPYRIGHT

The Ordinance to Determine the Conditions for Use for the Provision of Spatial Data of the Federation ("Verordnung zur Festlegung der Nutzungsbestimmungen für die Bereitstellung von Geodaten des Bundes" - GeoNutzv) shall apply, for details turn to "http://www.geodatenzentrum.de/docpdf/geonutzv_eng.pdf" and "http://www.dwd.de/EN/service/copyright/copyright_artikel.html".

REVISION HISTORY

This document is maintained by Deutscher Wetterdienst, CDC - Betrieb, last edited at 2022-09-16.